*Thin Solid Films*, *199* (1991) 397–399



# Contents of Volume 199

## *Issue 1*

Publisher's Note . . . . . v

Editorial. . . . . vi

**Electronics and Optics**

Electrical behaviour of electron-beam-evaporated yttrium oxide thin films on silicon . . . . . 1
R. N. Sharma, S. T. Lakshmikumar and A. C. Rastogi (New Delhi, India)

Electrical properties of flash-evaporated tin selenide films . . . . . 9
J. P. Singh and R. K. Bedi (Amritsar, India)

Characterization of fluorine-doped tin oxide produced by the pyrosol method . . . . . 13
B. Gottlieb, R. Koropecki, R. Arce, R. Crisalle and J. Ferron (Santa Fe, Argentina)

Rapid thermal annealing of W–Sm bilayers on p-type silicon . . . . . 23
G. Eftekhari (New Paltz, NY, U.S.A.)

The dependence of reverse characteristics of high voltage devices passivated by semi-insulating polycrystalline silicon on an interfacial thin film . . . . . 29
E. P. Burte and G. H. Schulze (Erlangen, F.R.G.)

**Metallurgical and Protective Layers**

Effect of tantalum or stellite ion beam mixing surface treatment on passivity and pitting of corrosion-resistant steel in NaCl solution . . . . . 37
N.-K. Huang and Z.-R. Feng (Chengdu, China)

**Preparation and Characterization**

Plasma-emission-controlled d.c. magnetron sputtering of $TiO_{2-x}$ thin films . . . . . 45
A. Brudnik, H. Czternastek, K. Zakrzewska and M. Jachimowski (Cracow, Poland)

Compositional changes during magnetron sputtering of alloys . . . . . 59
S. M. Rossnagel (Yorktown Heights, NY, U.S.A.), I. Yang (Cambridge, MA, U.S.A.) and J. J. Cuomo (Yorktown Heights, NY, U.S.A.)

Effect of the predeposition of gold, silver, tin or lead on the growth and crystallization processes of amorphous antimony layers . . . . . 71
M. Hashimoto and T. Nohara (Tokyo, Japan)

Crystallization behaviour of amorphous $Si_{1-x}C_x$ films prepared by r.f. sputtering . . . . . 85
K. Yoshii, Y. Suzaki, A. Takeuchi, K. Yasutake and H. Kawabe (Osaka, Japan)

Preparation of some II–VI semiconductor films by thermal or electron beam evaporation and by hot wall epitaxy and their optical characterization . . . . . 95
M. Müller (Kaiserslautern, F.R.G.), H. Tian (Changchun, China), U. Becker, M. Grün and C. Klingshirn (Kaiserslautern, F.R.G.)

Silicide formation by solid state reaction of Mo–Ni and Mo-Co films with Si(100) . . . . . 107
R. S. Rastogi, V. D. Vankar and K. L. Chopra (New Delhi, India)

Mixed phase nanocrystalline boron nitride films: preparation and characterization . . . . . 113
W. Gissler, J. Haupt, A. Hoffman, P. N. Gibson and D. G. Rickerby (Ispra, Italy)

Structure studies of synthetic diamond thin films by X-ray diffraction . . . . . 123
F.-Q. Zhang, Z.-Z. Song, J.-Q. Li and G.-G. Chen (Lanzhou, China), X.-L. Jiang (Beijing, China) and Q.-Z. Cong (Lanzhou, China)

ZnS:Eu thin film electroluminescent devices prepared by r.f. magnetron sputtering . . . . . 129
M. Aozasa, H. Chen and K. Ando (Osaka, Japan)

Oxygen evolution electrocatalysis at thin $Cu_{1.4}Mn_{1.6}O_4$ spinel films on CdO and nickel substrates 139
A. Restovic, G. Poillerat, J. F. Koenig and P. Chartier (Strasbourg, France) and J. L. Gautier (Santiago, Chile)

Pure and mixed evaporated dye layers of a merocyanine: structural and spectroscopic characterization . . . . . 153
O. Hertz, H. Böttcher and U. Fischer (Dresden, F.R.G.) and H. Fichtner (Berlin. F.R.G.)

**Langmuir–Blodgett and Related Films**

Soft X-ray diffraction studies on polymeric Langmuir-Blodgett films . . . . . 161
W. Jark, T. P. Russell, G. Comelli and J. Stöhr (San Jose, CA, U.S.A.), C. Erdelen, H. Ringsdorf and J. Schneider (Mainz, F.R.G.)

Interaction between copper tetra-4(2,4-di*tert*-amylphenoxy)phthalocyanine Langmuir–Blodgett films as a gas-sensitive sensor and $NH_3$. . . . . 173
D. P. Jiang, A. D. Lu, Y. J. Li, X. M. Pang and Y. L. Hua (Changchun, China)

Stabilization of monolayers and Langmuir–Blodgett films of mesogenic components by mixing. . 181
A. Öhlmann, W. Rettig, S. Diele and F. Kuschel (Halle, F.R.G.) and W. Weissflog (Leipzig, F.R.G.)

Nucleation in insoluble monolayers II: Constant pressure relaxation of octadecanoic acid monolayers. . . . . 189
D. Vollhardt, U. Retter and S. Siegel (Berlin, F.R.G.)

## *Issue 2*

**Electronics and Optics**

Bilayer $SnO_2$:In/$SnO_2$ thin films as transparent electrodes of amorphous silicon solar cells. . . . . 201
S. Ray, J. Dutta and A. K. Barua (Calcutta, India) and S. K. Deb (Golden, CO, U.S.A.)

Breakdown voltage of silicon chlorine oxides . . . . . 209
J. Kassabov, St. Georgiev and D. Dimitrov (Sofia, Bulgaria)

Annealing behaviour of optical properties and structure of r.f.-sputtered InSe films . . . . . 215
S. Shigetomi and H. Ohkubo (Fukuoka, Japan) and T. Ikari (Miyazaki, Japan)

The effects of zinc diffusion on the electrical and optical properties of ZnO:Al films prepared by r.f. reactive sputtering. . . . . 223
Y. Igasaki and H. Saito (Hamamatsu, Japan)

**Preparation and Characterization**

Deposition of $MoSi_2$ thin films by laser ablation from free-falling particles . . . . . 231
G. M. Schrag, S. O. Colgate and P. H. Holloway (Gainesville, FL, U.S.A.)

Bias-referenced X-ray photoelectron spectroscopy of epoxy-treated aluminium oxides . . . . . 241
W. M. Mullins and B. L. Averbach (Cambridge, MA, U.S.A.)

Properties of $Al_2O_3$ thin films prepared by ion-assisted evaporation . . . . . 247
W. Kübler (Karlsruhe, F.R.G.)

Characterization of iron pyrite thin films obtained by flash evaporation . . . . . 259
C. de las Heras and C. Sanchez (Madrid, Spain)

Low temperature $SiO_2$ films . . . . . 269
C. Falcony, A. Ortiz, S. Lopez, J. C. Alonso and S. Muhl (Mexico, Mexico)

Deposition of $AlO_xF_y$ films using d.c. reactive sputtering . . . . . 279
A. Belkind, B. Kopp and R. Sherman (Murray Hill, NJ, U.S.A.)

The sheet resistance of 3 μm thick Al–1%Si films deposited by batch mode d.c. magnetron sputtering . . . . . 291
R. J. Wilson and B. L. Weiss (Guildford, U.K.)

Cathodoluminescence properties of diamond films synthesized by microwave-plasma-assisted chemical vapour deposition . . . . . 299
Y. Muranaka, H. Yamashita and H. Miyadera (Ibaraki, Japan)

The use of electron image contrast to measure the thickness and composition of thin films of light binary alloys . . . . . 313
O. S. Rajora and A. E. Curzon (Burnaby, BC, Canada)

The structure of ZnS thin films deposited by r.f. sputtering . . . . . 321
J. M. Blackmore and A. G. Cullis (Malvern, U.K.)

Bistable switching in plasma-polymerized acrylonitrile films . . . . . 335
J. Tyczkowski (Łódź, Poland)

Quantitative X-ray analysis of interdiffusion Ta/Si multilayer structures. . . . . 343
H. L. Meyerheim and H. E. Göbel (Munich, F.R.G.)

Optimization of deposition parameters in ion-assisted deposition of optical thin films . . . . . 351
P. J. Martin and R. P. Netterfield (Sydney, NSW, Australia)

**Langmuir–Blodgett and Related Films**

Characterization of long-periodic layered structures by X-ray diffraction
III: Structure of a Langmuir–Blodgett film of cadmium arachidate at elevated temperatures . . . . 359
Y. Sasanuma, Y. Kitano, and A. Ishitani (Shiga, Japan), H. Nakahara and K. Fukuda (Urawa, Japan)

Time- and spatially resolved surface plasmon optical investigation of the photodesorption of Langmuir–Blodgett multilayer assemblies . . . . . 367
W. Hickel and W. Knoll (Mainz, F.R.G.)

Electrical and photoelectrical properties of copper tetra[4-*t*-butylphthalocyanine] Langmuir–Blodgett films . . . . . 375
E. Brynda, I. Koropecký, L. Kalvoda and S. Nešpůrek (Prague, Czechoslovakia)

Highly oriented polyamide thin films prepared by vapor deposition polymerization 385
A. Kubono, N. Okui, K. Tanaka, S. Umemoto and T. Sakai (Tokyo, Japan)

**Author Index** . . . . . 395